AST251 Project 3 – Evaluating Claims of Extraterrestrial Messaging ficocel2 Planet 2

Saturday 11th June, 2072

We have identified what may be an indication of extraterrestrial intelligence, as well as the planet where it may have originated. This document summarizes the information gathered so far about the candidate message and its candidate planet of origin.

Potential evidence for extraterrestrial intelligence

Astronomers have detected a narrowband optical transmission that appears to have originated from this planet's solar system. The transmission is believed to contain an image and is displayed below with the most likely aspect ratio. The transmission lasted a short duration and then stopped. The transmission is shown below:

000110111111111111111111111111111111111
0001101111111111111111111111111111111
000110111111111111111111111111111111111
111110111010110111110111101111011111001
001110111010110111101011110111110111111
00111011101111011111011111011111111111000
1111101011111111111111111111111111111000
0111101111111111111111111111111111111000

This signal was first noticed at UTC 2071-11-28/04:48.

Parameters of the candidate planet of origin and its host star

K
0.0496
0.472
1474.3
3.7
1.5




Figure 1: We have isolated the radial velocity of the host star due to the candidate planet. Data begins at UTC 2071-11-29/18:11. Positive values indicate the velocity at which the star is moving towards us; negative indicate the velocity at which it is moving away.

Atmospheric composition of the candidate planet (percent by volume)

Molecule	Concentration
N_2	36.8
CO_2	22.6
O_2	18.1
H_2O	22.3
O_3	0.225

Gas Abundance (percent by volume)




Figure 2: Concentration of various gases in the atmosphere of the candidate planet versus time. Note that the y-axis will usually only show the variation multiplied by some factor, shown in the upper left, and then added to some normal amount, also in the upper-left.

Gas Abundance (percent by volume)




Figure 3: Concentration of various additional gases in the atmosphere of the candidate planet versus time. Note that the y-axis will usually only show the variation multiplied by some factor, shown in the upper left, and then added to some normal amount, also in the upper-left.




Figure 4: Maps of the surface of the candidate planet taken at two different times. Times are indicated above each image relative to the times shown in the radial velocity curve. Those maps are shown here. Tan areas indicate what we believe to be land, while blue-ish areas indicate what we believe to be liquid regions of some kind. Other colors present reflect the visible color as best as we are able to measure.